

## **Historic, Archive Document**

**Do not assume content reflects current  
scientific knowledge, policies, or practices.**





UNITED STATES DEPARTMENT OF AGRICULTURE  
Production and Marketing Administration

Cotton Branch

Washington 25, D. C.

January 4, 1951

Estimated grade and staple length of upland cotton ginned in the United States prior to December 1, 1950

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8" & longer	2/	All lengths	Pct.
Ex. White	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.
G.M.	-	-	-	3	-	11	666	6,271	3,445	2,365	12,761	1	
S.M.	-	21	2	145	99	736	46,510	157,705	74,984	63,242	343,444	3.9	
M.	-	54	27	657	600	4,355	89,122	276,446	133,092	77,946	582,299	6.8	
S.L.M.	31	252	53	892	500	2,289	26,113	151,100	46,644	8,863	236,737	2.7	
L.M.	15	143	20	369	113	623	9,436	32,627	3,314	217	46,877	.5	
S.G.O.	4	13	-	45	12	218	1,385	874	16	-	2,567	*	
G.O.	2	14	-	2	1	114	124	54	-	-	311	*	
White	:	:	:	:	:	:	:	:	:	:	:	:	:
GM & higher	20	80	180	1,030	3,230	3,820	1,722	1,753	507	833	13,175	1.1	
S.M.	560	3,105	3,732	23,501	38,540	42,970	67,250	130,290	43,310	11,890	365,148	4.2	
M.	1,971	16,415	24,381	108,343	142,072	189,314	504,232	1,004,858	318,240	60,050	3,699,876	27.1	
S.L.M.	3,213	36,067	54,374	115,132	113,627	217,226	716,537	997,863	302,910	50,972	2,607,921	29.8	
L.M.	2,008	13,322	18,211	38,962	32,071	77,950	146,770	143,710	41,380	5,870	520,254	5.9	
S.G.O.	180	710	1,030	3,560	3,730	10,700	12,030	9,640	2,080	350	44,010	.5	
G.O.	50	70	40	421	190	750	600	510	100	10	2,741	*	
Spotted	:	:	:	:	:	:	:	:	:	:	:	:	:
G.M.	1,181	9,856	7,114	5,861	3,521	2,468	4,455	3,732	1,049	463	39,700	.5	
S.M.	13,055	141,140	119,058	106,309	47,915	42,696	74,228	70,672	9,329	3,949	628,351	7.2	
M.	20,508	217,280	147,526	101,498	37,159	41,848	77,167	54,802	5,514	1,091	704,393	7.9	
S.L.M.	9,510	41,063	13,412	9,232	3,983	11,235	15,979	8,507	488	132	113,541	1.3	
L.M.	1,120	1,270	160	1,178	531	4,304	4,365	750	50	-	13,728	.2	
Tinged 3/	4,564	11,261	3,401	2,838	360	696	780	137	8	6	24,051	.3	
Stained 3/	220	110	-	20	-	-	-	-	-	-	350	*	
Gray 3/	37	225	100	256	612	4,563	21,376	53,592	4,628	330	85,719	1.0	
Below Grade	64	33	-	180	40	251	119	20	10	-	717	*	
All Grades	58,313	492,504	392,821	520,434	428,906	659,137	1,820,966	3,105,913	991,098	288,579	8,758,671	4/100.0	
Percent	.7	5.6	4.5	5.9	4.9	7.5	20.8	35.6	11.3	3.2	100.0		
1/ Preliminary. 2/ See table on reverse side for 1-1/8" and longer by staple lengths.												96.2	
3/ Includes all grades. 4/ As reported by the Bureau of the Census.												32.9	
* Less than 0.05 percent.												3.8	
Percentage of rough preparation . . . . .													

Percentage of rough preparation . . . . . 3.8



Grade and staple length of upland cotton ginned in the  
United States, prior to December 1, 1950 <sup>1/</sup> (Continued)

Grade	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" and longer	Total 1-1/8" and longer
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
<u>Extra White:</u>						
G.M.	975	349	543	401	97	2,365
S.M.	27,578	11,230	12,861	9,572	2,001	63,242
M.	35,957	15,882	14,109	9,524	2,474	77,946
S.L.M.	4,874	1,707	1,229	870	183	8,863
L.M.	95	73	38	11	-	217
S.G.O.	-	-	-	-	-	-
G.O.	-	-	-	-	-	-
<u>White:</u>						
G.M. & higher	101	42	260	400	30	833
S.M.	6,090	1,860	1,420	1,530	990	11,890
M.	40,930	7,020	3,090	3,270	5,740	60,050
S.L.M.	36,612	5,850	2,540	2,500	3,470	50,972
L.M.	3,860	560	530	370	550	5,870
S.G.O.	110	50	50	50	90	350
G.O.	10	-	-	-	-	10
<u>Spotted:</u>						
G.M.	280	64	29	30	60	463
S.M.	1,977	787	443	322	420	3,949
M.	530	170	271	10	110	1,091
S.L.M.	52	20	50	-	10	132
L.M.	-	-	-	-	-	-
<u>Tinged 2/</u>	6	-	-	-	-	6
<u>Stained 2/</u>	-	-	-	-	-	-
<u>Gray 2/</u>	289	1	10	20	10	330
<u>Below Grade</u>	-	-	-	-	-	-
All Grades	160,326	45,665	37,473	28,880	16,235	288,579

<sup>1/</sup> Preliminary.

<sup>2/</sup> Includes all grades.

